3M India Sell Sheets



3M™ 1270 series reusable earplug

The 3M™ 1270 Earplugs are reusable and designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise up to 24 dB.

Multi flange design fits securely in the ear canal & helps provide reliable protection

Made from soft and durable TPE material for optimum comfort



Can be washed with mild detergent & reused

Your challenges

Worker encounter difficulty of insertion

1

The hearing protector with stem allow user for ease of insertion

Regulatory approval

2

BIS approved earplugs

Our solutions

Workers tend to lose the hearing protector when in break

3

Soft cloth cord prevent loss of earplug

Recommended application

Pharmaceuticals







Manufacturing



Chemical



Construction



Mining



Additional features

Unique outer flange design helps keep the ear plugs in place thus improving wearer comfort and helping assure protection 7 soft formulation, provides added comfort.

Know more about our 1270 series reusable earplug

More information







3M™ E-A-R™ One Touch™ Pro Earplug Dispenser

The 3M™ One Touch™ Pro Earplug Dispenser made of durable ABS plastic for tough environments dispenses earplug directly into hand

A simple turn of the hand drops earplug into a worker's hand one at a time









Slow-recovery earplug foam is flame-resistant and moisture-resistant

Your challenges

Experience high noise environment and need hearing protection

1

Disposable foam earplug provide comfort and high attenuation

Working exposure to outdoor and high humid environment

2

PVC material for moisture resistant

Our solutions

Increase of workload for supervisor to issue earplug to workers

3

Classic earplug with one Touch dispenser that can allow worker to selfcollect the earplug as and when he needs

Recommended application

Pharmaceuticals



ا اللے

Manufacturing



Construction

Utilities



Chemical



Mining



Additional features

Can have Refill bottles to allow recycle of the containers. Slow recovery foam.

Refill is available and reduce the cost of individual wrapped earplug.

Know more about our 3M™ E-A-R™ One Touch™ Pro Earplug Dispenser

BM™ E-A-R™ One Touch™ Pro Earplug Dispenser, Blue 391-0000 | 3M Singapore





3 M™ E-A-R™Flexible Fit HA 328-1001

3M™ E A R™ Flexible Fit, the first fully washable push-to-fit foam earplug with suggested use for up to 2 weeks when following wash and care instructions.

No roll down of soft foam tip helps keep ear tip clean.

Good for workers with gloved or dirty hands

Soft foam stem for secure grip 3



Ideal for workers with only one free hand available for inserting earplugs

Your challenges

Worker carry equipment or tool with one hand. therefore, need earplug that can be inserted with one-hand

Disposable earplugs are more comfortable over reusable earplugs

Having limitation in rolling the earplugs every time

3

2

The no roll-down design along with firm foam tip helps in wearing the earplug at ease

Our solutions

Firm, yet flexible fitting stem allows easy insertion into the ear canal using one or two hands

Flexible fit offers the comfort of disposable earplug & washable* like reusable earplugs

Recommended application

Pharmaceuticals



Utilities



Manufacturing



Chemical



Construction



Mining



Additional features

corded & uncorded options available

Know more about our Flexible Fit HA 328-1001







3M™ PELTOR™ Optime™ 105 Earmuff

Optime™ 105 Earmuff is a high-performance hearing protector has dual-cup design & soft foam-filled cushions provide better comfort + high attenuation.

Stainless-steel headband designed to help resist bending, warping & twisting



Adjustable earcup tilt to help create a personalized fit



Noise Reduction Rating (NRR) 30 dB

Your challenges

Our solutions

Worker exposed to extremely high noise condition

1

Effective hearing protection for noise exposure up to 30 dB

Existing earmuff feel uncomfortable

2

Proprietary 3M Twin-Cup design has soft, foam filled earmuffs for enhanced hearing protection

3

Recommended application

Pharmaceuticals



Construction







Utilities

\(\frac{\cap\chi}{\chi}\)-

Chemical



Mining



Additional features

Compatible with EAR fit validation system. Test probe for H10A is available.

Know more about our 3M™ PELTOR™ Optime™ 105 Earmuff





3M™ PELTOR™ Optime™ 98 Earmuff

3M™ PELTOR™ Optime™ 98 Earmuffs feature low profile ear cups to make them fit better under face shields and other PPE.



Your challenges

Our solutions

Worker exposed to extremely high noise condition

1 Effective hearing protection for noise exposure up to 25dB

Existing earmuff feel uncomfortable

Proprietary 3M Twin-Cup design has soft, foam filled earmuffs for enhanced hearing protection

3

3M

Recommended application

Pharmaceuticals



Construction







Utilities



Chemical




Mining



Additional features

Compatible with EAR fit validation system. Test probe for H9A is available.

Know more about our 3M™ PELTOR™ Optime™ 105 Earmuff





3M™ PELTOR™ Optime™ 98 Earmuff

3M™ PELTOR™ Optime™ 95 Earmuffs feature low profile ear cups to make them fit better under face shields and other PPE.

Our solutions



Your challenges

Worker exposed to extremely high noise condition

Worker exposed to extremely high hoise condition

Existing earmuff feel uncomfortable

2

Proprietary 3M Twin-Cup design has soft, foam filled earmuffs for enhanced hearing protection

Effective hearing protection for noise exposure up to 35dBA

3

3M

Recommended application

Pharmaceuticals



Utilities



Manufacturing



Chemical



Construction



Mining



Additional features

Compatible with EAR fit validation system. Test probe for H10A is available.

Know more about our 3M™ PELTOR™ Optime™ 98 Earmuff





The X1A is a lightweight, low-profile earmuff designed for protection against low-level industrial noise and other loud sounds

Twin headband design helps reduce heat buildup with good fit and balance

Earcups tilt to ensure a customized fit and comfort for individual users



Noise Reduction Rating (NRR) of 22dB for low to moderate noise exposures

Your challenges

Our solutions

Require earmuff which provide electric insulation

Electrically insulated (dielectric) wire headband helps reduce exposure to electrical hazards

Existing earmuff feel uncomfortable

Wire headband offers comfortable pressure during prolonged usage

3M

Recommended application

Pharmaceuticals





Manufacturing



Chemical



Construction



Mining



Additional features

Compatible with EAR fit validation system. Test probe for X1A is available.

Know more about our 3M™ PELTOR™ X1A Earmuff





3M™ PELTOR™ X1 Earmuffs X1P3E, Hard Hat Attached

The X1A is a lightweight, low-profile earmuff designed for protection against low-level industrial noise and other loud sounds

Our solutions

Twin headband design helps reduce heat buildup with good fit and balance

customized fit and comfort for

3



Noise Reduction Rating (NRR)
of 21dB for low to moderate
noise exposures

Your challenges

Earcups tilt to ensure a

individual users

Require earmuff which provide electric insulation

1

Electrically insulated (dielectric) wire (headband) helps reduce exposure to electrical hazards

Existing earmuff feel uncomfortable

2

Wire headband offers comfortable pressure during prolonged usage

3

3M

Recommended application

Pharmaceuticals



Utilities



Manufacturing



Chemical



Construction



Mining



Additional features

Compatible with EAR fit validation system. Test probe for X1A is available.

Know more about our 3M™ PELTOR™ X1P3E Earmuff





3M 11850IN Virtua- w/d Blue temple

Protective Eyewear with popular unisex styling.



Your challenges

Complaints like power problem, headache mainly encountered with this eyewear design.

Our solutions

3 Piece Poly Carbonate construction Universal Nose Bridge U6 rated polycarbonate lenses

Provide colors to identify work location needs

Get to choose from multiple colour options

Similar product (Wrap Around design) already available in market- More economical Option

Provide fit check option 3

Recommended application

Pharmaceuticals









Construction

Utilities



Chemical



Mining



Additional features

Meets ANSI Z87.1-2015 Meets BIS 5983 standards

Know more about our 3M 11850IN Virtua-w/d Bluetemp





11850IN Virtua -w/d Orange Temple

Protective Eyewear with popular unisex styling.



Your challenges

Complaints like power problem, headache mainly encountered with this eyewear design.

Our solutions

3 Piece Poly Carbonate construction Universal Nose Bridge U6 rated polycarbonate lenses

Provide colours to identify work location needs

Get to choose from multiple colour options

Similar product (Wrap Around design) already available in market- More economical Option

Provide fit check option 3

Recommended application

Pharmaceuticals



Construction









Utilities



Chemical



Mining



Additional features

Meets ANSI Z87.1-2015 Meets BIS 5983 standards

Know more about our 3M 11850IN Virtua-w/d Bluetemp






3M 11852 Virtua IN Antifog

Protective Eyewear with Stylish Design. Available in Hard coat Version.





Recommended application

Pharmaceuticals



ring Construction





Utilities



Chemical



Additional features

Meets ANSI Z87.1-2015 Meets BIS 5983 standards Available as HC

Know more about our 3M 11852 Virtua IN Antifog





3M 11852 Virtua IN Hard coat

Protective Eyewear with Stylish Design. Available in Anti-Fog version.



Your challenges

Similar product already available in market- More economical Option under same category.

Our solutions

1 Vinyl nose Bridge & Soft Temples,

Feels heavy when worn

2 Light weight design

Eyewear gets scratches easily

Hard coated lens resist from scratches

Recommended application

Pharmaceuticals



Utilities



Manufacturing



Chemical



Construction



Mining



Additional features

Meets ANSI Z87.1-2015 Meets BIS 5983 standards

Know more about our 3M 11852 Virtua IN Antifog







3M 11880IN Virtua Antifog Blue temple

Protective Eyewear with popular unisex styling.



Your challenges

Complaints like power problem, headache mainly encountered with this eyewear design.

Our solutions

3 Piece Poly Carbonate construction Universal Nose Bridge U6 rated polycarbonate lenses

Provide colours to identify work location needs

Get to choose from multiple colour options

Eyewear gets foggy

Anti fog option

Recommended application

Pharmaceuticals



Utilities



Manufacturing



Chemical



Construction



Mining



Additional features

Meets ANSI Z87.1-2015 Meets BIS 5983 standards

Know more about our 3M 11850IN Virtua-w/d Bluetemp





3M™ 1611, Visitor Spectacle, Anti Scratch, Clear Lens

Protective Eye wear used for visitor spectacles with over the glass feature available



Your challenges

Our solutions

Discomfort if wore for longer time

3 Piece Poly Carbonate construction with Universal Nose Bridge

Lesser durability & scratches issue

Hard Coating on the lens to resist scratches

Bulky in size

Wide frontal coverage of the eyes & lateral protection

Recommended application

Pharmaceuticals

Manufacturing

Construction







Utilities

Mining



Additional features

Meets ANSI Z87.1-2015 Good solution for visitors

Know more about our 3M[™] 1611, Visitor Spectacle, Ant scratch, Clear Lens





3M 1709IN With Hardcore Clear.

Protective Eyewear with Stylish Design. Available in Hard coat.



Your challenges

Our solutions

Hard temple, not comfortable

1 Economical Eyewear & Lightweight and compact design

Similar product already available in market

Assured quality with compliance to standards

3

3M

Recommended application

Pharmaceuticals









Utilities

5







Additional features

Meets BIS 5983 standards

Know more about our 3M 1709IN With Hardcore Clear.





Protective Goggle protects against chemical splash (Anti-Fog option available)

Protects from chemical splashes

Wear over prescription lenses



Polycarbonate Frame/Lens

Your challenges

Our solutions

Doesn't seal the eye region evenly

Economical eyewear with 99% UV Protection

Quality of product is not up to the mark

Meets BIS regulatory standards

3M

Recommended application

Pharmaceuticals



Chemical



Additional features

Meets ANSI Z87.1-2015 Meets BIS 5983 standards Anti-fog option available

Know more about our 3M[™] 1621IN



5

3M™ SecureFit™ 201-AF

3M™ SecureFit™ Safety Glasses 200 Series offers lightweight comfort at an affordable price. Featuring 3M™ Pressure Diffusion Temple Technology, 3M's innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size and shape of the wearer's head.



Your challenges

Uncomfortable when worn for long period.

Our solutions

3M[™] Pressure Diffusion Temple (PDT) technology enables temples to flex and adjust according to wearer's head and provides comfort for extended periods of use.

PPE compatibility

2

Combines well with 3M[™] Protective Earmuffs

3



Recommended application

Pharmaceuticals



Construction



Additional features

Meets ANSI-ISEA Z87.1-2020 Standards

Know more about our 3M™ SecureFit™ 200 Series Safety Glasses

3M US Product Page





3M™ SecureFit™ SF201SGAF-BLU

3M™ SecureFit™ Safety Glasses 200 Series offers lightweight comfort at an affordable price. Featuring 3M™ Pressure Diffusion Temple Technology, 3M's innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size and shape of the wearer's head.

Curved temples for enhanced security

Scotchgar coating fo abrasion rresistance fogging up better comfort

Scotchgard[™] Anti-fog coating for fog and abrasion rresistance & can resist fogging up to 25 washes*

Your challenges

Uncomfortable when worn for long period.

PPE compatibility

Our solutions

3M[™] Pressure Diffusion Temple (PDT) technology enables temples to flex and adjust according to wearer's head and provides comfort for extended periods of use.

2

Combines well with 3M[™] Protective Earmuffs

3



Recommended application

Pharmaceuticals



Construction



Additional features

Meets ANSI-ISEA Z87.1-2020 Standards

Know more about our 3M™ SecureFit™ 200 Series Safety Glasses

3M US Product Page





3M™ SecureFit™ 100 Series Safety Glasses

3M™ SecureFit™ 100 Series features a sleek, sporty lens shape coupled with a patented temple design that self-adjusts to different head sizes to provide a stylish yet comfortable fit for an extended period of time

Curved temples for enhanced security

Temple flex & self-adjust to the size of wearer's head offering

3

Sleek, sporty lens shape

Our solutions

Need economical eyewear that meet minimum requirement such as comfort

Securefit 100 design with 3M™ Pressure Diffusion Temple (PDT) technology enables temples to flex and adjust according to wearer's head and provides comfort for extended periods of use with a competitive cost

PPE compatibility

better comfort

Your challenges

Combines well with 3M™ Protective Earmuffs

3

3M

Recommended application

Construction



Additional features

Meets ANSI-ISEA Z87.1-2020 Standards

Know more about our 3M™ SecureFit™ 100 Series Safety Glasses

Sell Sheet





3M™ SecureFit™ 3700 Series

Get over-the-glass protection with all day wearability with the 3M™ SecureFit™ 3700 Series. The adjustable ratchet temples provides angle adjustment points on the temple to help create a secure and personalized fit. The eyewear features pressure diffusion temple technology and a soft touch nosepiece to help provide all-day comfort

Adjustable ratchet temples allow user to adjust lens for facial features and eyeglass position

Scotchgard[™] Anti-fog coating for fog and abrasion resistance & can resist fogging up to 25 washes*



Soft one-piece
nose bridge & Optional
contoured
brow guard

Your challenges

Challenges with people wearing spectacles

1

3M[™] SecureFit[™] 3700 Series is designed to offer eye protection with all-day wearability for workers with prescription lenses

Similar product already available in market

2

Assured quality with compliance to standards

Dust particles enter in spite of wearing eyewear

3

Optional brow guard available

Our solutions

Recommended application

Pharmaceuticals

Manufacturing





Chemical

Utilities





Additional features

Meets ANSI-ISEA Z87.1-2020 Standards

Know more about our3M™ SecureFit™ 3700 Series





3M™ Goggle Gear™ 500 Series Safety Goggles

3M™ Goggle Gear™ 500 Series features a low-profile design with an adjustable strap, indirect ventilation and 3M™ Scotchgard™ Protector Anti-Fog/Anti-Scratch Coating.



Your challenges

Whenever I come out from the hot chamber, always experience the safety goggles fogging issue

1

3M Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch help workers see clearly for longer in tough working conditions

Doesn't seal the eye region evenly

2

Protect against chemical splashes


Our solutions

3



Recommended application

Pharmaceuticals







Utilities

Chemical





Mining



Additional features

Scotchgard™ Anti-Fog Coating lasts longer than traditional antifog coatings

Know more about our 3M™ Goggle Gear™ 500 Series Safety Goggles





3M™ PELTOR™ WS™ LiteCom Plus LPD433 MHz Headband Headset

The 3M™ PELTOR™ WS™ LiteCom Plus Hearing Protector has integrated, pre-programmed analog two-way radio, Bluetooth® Multipoint connectivity, noise-cancelling microphone, and level-dependent function for ambient listening, the Headset not only helps protect you against hazardous noise, but also makes it easy to communicate in noisy environments and helps you maintain situational awareness.

Protective communication solution for hands-free, clear communication in noisy environments

1

Helps provide hearing protection when exposed to hazardous noise



Analog two-way

communication radio with 22

pre-programmed FRS

channels

Your challenges

Our solutions

Unable to listen to warning signals and poor communication

1 Situational awareness

Need communication in noisy environments

With hearing protection and two ways radio built-in communication

Need handsfree operation

3

Incorporate VOX (Voice operated Transmission) Control



Recommended application







Construction

Chemical



Additional features

Attenuation and amplification function available depend on the user needs

Build in two-way radio communication, 8 channels (PMR) or 69 channel (LDP) and comply with the local standard or international test standard

Provide handsfree operation with VOX function and easy button access to the manual operation

Know more about our 3M™ PELTOR™ WS™ LiteCom Plus LPD433 MHz Headband Headset

roduct Page





3M™ Aircare™ Filtration Unit ACU-03, Wall Mounted, 1 EA/Case

The 3M™ Aircare™ Filtration Units can be combined with all 3M™ Supplied Air Respirator Systems. The 3M™ Aircare™ Filtration Unit three stage filtration system supplies highest quality air to the Supplied Air Respirator System and compressed air tools, by removing water and oil aerosols, particulates and odor's from the facility supplied compressed air.

Provides Airflow in excess of 1200 liters per minute with 2-way and 3-way manifolds available

1

Semi-automatic drains empty the first and second stage bowls when the system is depressurized



Differential pressure indicator indicates when second
——stage filter needs changing/inspecting

Your challenges

Our solutions

Difficult to carry

1 Wall mounted option available

Inadequate air flow

Can be used for up to three users

Not sure if the air is sufficiently filtered

3

3 stage filtration to remove dust and moisture

Recommended application

Pharmaceuticals

Manufacturing

Construction











Additional features

Know more about our 3M™ Aircare™ Filtration Unit ACU-03, Wall Mounted, 1 EA/Case

3M Technical Datasheet





3M™ Versaflo™ Powered Air Turbo Easy Clean Ready Kit, TR-300E+ ECK

Designed to help protect the healthcare worker from airborne particulates – without compromising comfort or flexibility

Our solutions

Monitor the status of your particulate filter, the charge of your battery and airflow setting at a glance.

Iinnovative Quick Release Swivel (QRS) connects quickly and helps avoid kinks in the breathing tube





Audible and visual alarms alert you to filter load and low battery.

Your challenges

Mainly Lint Free & Easily cleanable items are preferred for clean room applications.

Provided with Easy Clean Belt that allow hassle free cleaning & having coated surface prevent material depositions as well as linting problem.

For Better Comfort more then 160lpm of air flow require. Calibration Challenges

2

User Selectable Air Flow (185, 205lpm).

Sophisticated electronics keep the factory-calibrated airflow at a nominal 170 l/min, eliminating the need for regular calibration by the user.

Challenges faced to check battery charge status

For better convenience user friendly system is required

3

R-300+ features a user-friendly design with intuitive, colored interactive touch points, battery charge and particulate filter loading status indicators and audible and visual low-flow and low-battery indicators. Lithium ion battery with LED to indicate charge status

3M

Recommended application

Pharmaceuticals

Manufacturing

Construction









Chemical



Additional features

Ingress Protection (IP) rating of IP-53 (EN 60529). Suitable for use in a decontamination shower with a spray angle of up to 60 degrees from vertical.

Approval: EN12941 TH2/TH3 Other Approval: NIOSH

Know more about our 3M™ Versaflo™ Powered Air Turbo Easy Clean Ready Kit, TR-300E+ ECK

Technical Data Sheet

3M Furone Product Page



3M™ Versaflo™ Powered Air Turbo Heavy Industry Ready Kit, TR-300E+ HIK

Ready-to-use kit provides a simple way to purchase a complete powered air respirator system for use in rugged industrial environments.

Monitor the status of your particulate filter, the charge of your battery and airflow setting at a glance.





Audible and visual alarms alert you to filter load and low battery.

Your challenges

Innovative Quick Release

Swivel (QRS) connects

quickly and helps avoid

kinks in the breathing tube

PAPR system for use in rugged industrial environments.



Our solutions

Belt specially made from durable leather. PAPR main body & Filter Cover made of ABS plastic. Option available for Flame Resistant & Heat Retardant breathing tube cover.

For Better Comfort more then 160lpm of air flow require. Calibration Challenges



User Selectable Air Flow (185, 205lpm). Sophisticated electronics keep the factory-calibrated airflow at a nominal 170 l/min, eliminating the need for regular calibration by the user.

Challenges faced to check battery charge status For better convenience user friendly system is required



TR-300+ features a user-friendly design with intuitive, colored interactive touch points, battery charge and particulate filter loading status indicators and audible and visual low-flow and low-battery indicators. Lithium ion battery with LED to indicate charge status



Recommended application

Pharmaceuticals



Manufacturing













Additional features

Backpack harness with multi-layer construction Approval: EN12941 TH2/TH3 Other Approval: NIOSH

Know more about our 3M™ Versaflo™ Powered Air Turbo **Heavy Industry Ready Kit, TR-300E+ HI**



3M™ Versaflo™ Powered Air Respirator Starter Kit, TR-619E

The 3M™ Versaflo™ Powered Air Turbo TR-600 is a belt-mounted air purifying device. It can be combined with an approved head top or facepiece to form a power-assisted system for respiratory protection against particles, nuisance odor's (where applicable) and gases and vapors. A range of approved breathing tubes are available depending on which head top or facepiece is selected.

Easy to use, versatile respiratory protection against dusts, mists, fumes and organic vapors





2

Our solutions

Visual, vibratory and audible warning alarms to alert to low battery and air flow

design to maximize user comfort

lightweight and balanced

Three user selectable flow

rates and has a

Your challenges

Clean Room Application - Decontamination of PAPR system is necessary to prevent cross contamination.

1

Suitable for shower decontamination (IP54) when using filter cover and temporary submersion (IP67) when fitted with cleaning plugs

Require a long run time and short charging time, to reduces the user's downtime

2

Charger Time: Standard battery <3.5 hrs.
Charger Time: High capacity battery <4.5 hrs.
System run time of 9.5-19 hours depending on battery, flow rate, head top and filter

For Better Comfort more then 160lpm of air flow require. Calibration Challenges

3

User Selectable Air Flow (185, 205, 225 lpm). No user calibration of the turbo is required

Recommended application

Pharmaceuticals





Manufacturing



Construction

Utilities



Chemical



Additional features

EN 12941:1998+A2:2008

EN 60529

Other Approval: NIOSH

Ergonomically designed to fit close to the body and allow for greater movement in tight workspaces.

Know more about our 3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E

Technical Data Sheet

3M Furone Product Page





3M™ Versaflo™ TR-819E Powered Air Turbo Starter Kit

The 3M™ Versaflo™ Powered Air Turbo TR-600 is a belt-mounted air purifying device. It can be combined with an approved head top or facepiece to form a power-assisted system for respiratory protection against particles, nuisance odors (where applicable) and gases and vapors. A range of approved breathing tubes are available depending on which head top or facepiece is selected.

Easy to use, versatile respiratory protection against dusts, mists, fumes and organic vapors



Mechanical attachment of battery to help prevent battery removal and spark risk during use per EN 60079-11



Suitable for areas where potentially explosive atmospheres are expected and permanent within normal operations.

Your challenges

Clean Room Application - Decontamination of PAPR system is necessary to prevent cross contamination.



Suitable for shower decontamination (IP54) when using filter cover and temporary submersion (IP67) when fitted with cleaning plugs

Require a long run time and short charging time, to reduces the user's downtime



Charger Time: Standard battery <3.5 hrs. Charger Time: High capacity battery <4.5 hrs. System run time of 9.5-19 hours depending on battery, flow rate, head top and filter

For Better Comfort more then 160lpm of air flow require. **Calibration Challenges**



User Selectable Air Flow (185, 205, 225 lpm). No user calibration of the turbo is required

Our solutions

Recommended application

Pharmaceuticals



Construction









Utilities



Chemical



Additional features

EN 12941:1998+A2:2008

EN 60529

Other Approval: NIOSH

Ergonomically designed to fit close to the body and allow for greater movement in tight workspaces.


Know more about our 3M™ Versaflo™ Powered Air Turbo **Starter Kit, TR-619E**





3M™ Particulate Respirator 8511

This disposable N95 particulate respirator features the proprietary 3M Cool Flow Valve and helps provide comfortable, reliable worker respiratory protection. It is ideally suited for hot/dusty work settings that require long periods of wear.



Your challenges

Our solutions

Uncomfortable when worn for long period

1

M-Noseclip adjusts easily for fewer pressure points and greater comfort

Not all respirators fit well

2

Braided comfort headbands two-strap design with dual point attachment helps provide a secure seal

My face gets sweaty inside the respirator



3M™ Cool Flow™ exhalation valve offers improved comfort in hot humid environments and/or where work is hard and physical



Recommended application

Pharmaceuticals

Manufacturing





Utilities

Construction





Additional features

Lightweight design for comfort Contains no components made from natural rubber latex

Know more about our 3M™ Particulate Respirator 8511

3M India Product Page - 3M™ Particulate Respirator 8513 N95, 80 ea/Case | 3M India

<u>Technical Data Sheet - Microsoft Word - 8511 N95 Particulate</u> <u>Respirator Spec Sheet FINAL V2.docx (3m.com)</u>



3M™ Particulate Respirator 8710, P1

. The 3M™ 8710 Particulate Respirator provide effective respiratory protection for use in industries where workers will be exposed to dust particles and/or nonvolatile liquid particles



Your challenges

Our solutions

Uncomfortable when worn for long period

Lightweight construction promotes greater comfort and contributes to increased wear time.

Not all respirators fit well

Two-strap design with stapled dual point attachment helps provide a secure seal

Product not robust

Durable, collapse resistant inner shell offering effective filtration combined with low breathing resistance

Recommended application

Pharmaceuticals







Manufacturing



Chemical







Mining



Additional features

P1 rated filter, BIS approved

Know more about our 3M™ Particulate Respirator 8710, P1

3M India Product Page - 3M™ Dust





3M™ Valved Respirator 8822 P2 10/Bx 24Bxs/Cs



Your challenges

Uncomfortable when worn for long period

My face gets sweaty inside the respirator

Not all respirator fits well

2

2

Mould nose clip to the wearer's nose shape to help reduce eyewear fogging and for a better seal and fit

Lightweight construction promotes greater comfort and contributes to

Proprietary 3M[™] Cool Flow[™] exhalation valve helps to

remove your hot exhaled air for a cooler and drier wear and

3

Our solutions

increased wear time.

encourages wearer compliance

Recommended application

Utilities

Manufacturing

Construction





Additional features

Coloured straps for easy identification of protection class (blue for P2)

Tested to EN149:2001 and meet requirement of FFP2 standard

Know more about our 3M[™] Valved Respirator 8822 P2 10/Bx 24Bxs/Cs

3M™ Cupped Particulate Respirator 8822, P2, Valved, 240 ea/Case | 3M India





3M™ Cupped Particulate Respirator 9913

3M's 9913, a disposable specialty respirator with type 'G' class rating for handling chemicals with low vapour pressure (below 1.3 Pa @ 25oC).



Your challenges

Working with organic chemicals with low vapor pressure (below 1.3 Pa @ 25degC)

P1 rated filtration efficiency

Our solutions

Working in flammable atmosphere

Galvanised steel nose clip allows use in flammable atmosphere

Goos Fit & Comfortable to use



Recommended application

Pharmaceuticals

Utilities



Construction









Additional features

Carbon layer provides protection against nuisance levels of certain gases/vapours (i.e. below Exposure Standards).

Can be used for a wide range of applications from undergroundcoal mines, weed spraying to waste sorting

Know more about our 3M™ Cupped Particulate Respirator 9913

3M™ Cupped Particulate Respirator 9913, GP1 with Nuisance Level* Organic Vapour Relief, 15/Box, 6 Boxes/Case | 3M



3M™ Particulate Respirator 9000ING (FFP1, BIS), White, 250 ea/Case

The 9000ING respirator is designed to help provide quality, reliable protection against certain non-oil based particles. Its low profile design offers better visibility and compatibility with a wide variety of safety equipment. Vertical flat-fold design offers convenient storage, portability and dispensing



Recommended application

Pharmaceuticals

Manufacturing

Construction







Utilities



Chemical



Mining



Additional features

- P1 rated filter, BIS approved.
- Good Fit & Comfortable to use.

Know more about our 3M™ Particulate Respirator 9000ING (FFP1, BIS), White, 250 ea/Case





3M™ Particulate Respirator 9004 (FFP1, BIS), White, 250 ea/Case

The 9004 respirator is designed to help provide quality, reliable protection against certain non-oil based particles. Its low profile design offers better visibility and compatibility with a wide variety of safety equipment. Vertical flat-fold design offers convenient storage, portability and dispensing



Recommended application

Pharmaceuticals Manufacturing







Utilities



Chemical



Mining

Construction



Additional features

- P1 rated filter, BIS approved
- Good Fit & Comfortable to use.


Know more about our 3M™ Particulate Respirator 9004 (FFP1, BIS), White, 250 ea/Case





3M™ Particulate Respirator 9504IN (FFP2, BIS, Valved), 250 EA/Case

3M™ Particulate Respirator 9504IN. Provides secure and comfortable FFP2 (NPF 12) protection against dusts and mists. BIS approved



Recommended application

Pharmaceuticals



Manufacturing



Construction

Utilities



Chemical



Additional features

- Meets the performance requirements of the European standard for filtering facepiece dust respirators; EN 149: 2001 FFP2
- BIS approved FFP2
- Good Fit & Comfortable to Use

Know more about our 3M™ Particulate Respirator 9504IN (FFP2, BIS, Valved), 250 EA/Case





3M™ 6000 Series Gas/Vapor Cartridges and prefilter

Bayonet connection cartridges and prefilters



Light weight & easy to install with snug fit..

Your challenges

Our solutions

Not enough G&V range option

1

Different kinds of cartridges for different kinds of gases and vapors.

Interfere the view due to the cartridge

2

Swept-back design allows an enhanced field of view and comfort

How many days I can use the same cartridge

3

Use the 3M Service Life software (3M.com/sls) to develop a cartridge changeout schedule

Recommended application

Pharmaceuticals

Manufacturing

Construction







Chemical



Additional features

Bayonet compatibility allows use with many 3M[™] half and full facepieces and certain 3M[™] Scott[™] full facepieces

Know more about our 3M™ 6000 Series Gas/Vapor Cartridges and prefilter

3M™ Organic Vapor/Acid Gas Cartridge 6003/07047(AAD) | 3M United States





3M™ Half Facepiece Reusable Respirator 6200 Medium

Compatible, convenient respiratory protection

Comfortable soft, lightweight facepiece with easy-to-adjust head straps

NIOSH approved for negative pressure air purifying and supplied air dual airline applications

Your challenges

Replaceable Spare Parts

Our solutions

Heavy to wear

Remarkably comfortable, soft, lightweight facepiece has easy-to-adjust head straps allow for a customized fit to the user

Needs a wide variety of cartridge & filter

Bayonet compatibility allows use with many 3M™ Bayonet consumables

Wants to save the cost

Replaceable cartridges/filters help reduce waste and costs over time.

Recommended application

Pharmaceuticals

Manufacturing

Construction







Chemical



Additional features

Know more about our 3M[™] Half Facepiece Reusable Respirator 6200 Medium

3M™ Half Facepiece Reusable Respirator 6200/07025(AAD), Medium, 24 ea/Case | 3M India





3M™ Half Facepiece Reusable Respirator 7502 Medium

Made from a soft silicone and featuring the 3M™ Cool Flow™ Valve for ultimate comfort

Advance silicone material for increased comfort and greater durability

Proprietary 3M™ CoolFlow™ valve helps makes breathing easier



3

Dual-mode head harness adjusts easily for either standard or drop-down mode

Your challenges

Want more comfort on the face

Advance silicone material provides a soft feel on the face

Product not robust

Advance silicone material for greater durability

Our solutions

Sweaty inside

Proprietary 3M™ CoolFlow™ valve helps makes breathing easier and there is a hole to drain the sweat in chin area.

Recommended application

Pharmaceuticals

Manufacturing

Construction







Chemical



Additional features

NIOSH approved with 3M™ Cartridges 6000 Series, 3M™ Particle

Filters 2000, 2200, 7000 or 5000 Series, or 3M™ Dual Airline

Supplied Air Systems.

Know more about our 3M™ Half Facepiece Reusable Respirator 7502 Medium

M™ Half Facepiece Reusable Respirator
'502/37082(AAD), Medium, 10 ea/Case | 3M
ndia





3MTM Protecta First Full Body Harness

Affordable Full Body Harness products with EN certification for retail stores

Confined space access Shoulder retrieval attachment points
Option Available

Added comfort Waist belt and padded hip / lower back-pack



Multiple attachment points Front, rear, side D-rings for multiple work positions.

Your challenges

complicated selection

1

Simple selection (out of X SKUs)

Our solutions

Expensive

2

Affordable and certified to global standard (EN)

Heavy to wear for a day shift

3

Light weight

Recommended application

Construction



Utilities



Chemical

Manufacturing



Mining



Additional features

3~5 point adjustments for good fitting Chest D-ring, Side D-ring for Ladder Climbing system or work positioning application with belt (model specific)


Know more about our 3MTM Protecta First Full Body Harness

PROTECTA Full Body Harnesses for Personal Safety | 3M India





Affordable Rope Twin Leg Lanyard with EN certification for retail stores



Recommended application

Construction







Utilities

Chemical





Mining



Additional features

Twin lanyard for 100% tie-off Large scaffold hook

Know more about our 3MTM Protecta First Full Body Harness

3M™ Protecta® First™ Twin Leg Shock Absorbing Rope Lanyard 1390398, 10 ea/Case | 3M Malaysia





3MTM Protecta Rebel personal Self Retracting Lifeline

3MTM Protecta Rebel personal Self Retracting Lifeline



Recommended application

Construction

Manufacturing





Utilities

Chemical



Mining



Additional features

Self-locking snap hook meeting ANSI with a 16kN Gate strength Triple action carabiner

Durable 2.5cm polyester webbing to accommodate users up tp 140kg

Know more about our 3MTM Protecta Rebel personal Self Retracting Lifeline

PROTECTA Self-retracting Lifelines for Personal Safety | 3M India

